

Hypergraph Construction and Its Application to the Compositional Modelling of Concurrency (Extended version)

Barbara König (koenigb@in.tum.de)

Fakultät für Informatik, Technische Universität München

Abstract. We define a construction operation on hypergraphs using a colimit and show that its expressiveness concerning graph rewriting is equal to the graph expressions of Courcelle and the double-pushout approach of Ehrig. With an inductive way of representing graphs, graph rewriting arises naturally as a derived concept. The usefulness of our approach for the compositional modelling of concurrent systems is then shown by defining the semantics of a process calculus with mobility and of Petri nets.

1 Introduction

Graph rewriting is one adequate approach for modelling the semantics of concurrent systems: multi-dimensional structures describing interconnected computers or other components can be naturally described by graphs. When trying to model semantic frameworks for concurrency (such as process algebras) with graph rewriting, we run into problems since it is hard to represent compositionality and modularity inherent in these formalisms in the world of graphs. Process algebras rely on compositionality in the definition of their syntax and their semantics, and in almost all proofs. Compositionality is easy to achieve in a “string-based” syntax: systems are constructed out of smaller systems by concatenating their descriptions, connections are established by having common channel names.

We propose an analogue to concatenation in the world of hypergraphs: hypergraphs have so-called “external nodes”, their interface to the outside, and in order to attach two (or more) hypergraphs, information is needed on how these external nodes should be merged. Such a form of graph concatenation was proposed in [1] in the form of “graph expressions”, where three operators (disjoint sum, node fusion, redefinition of external nodes) were introduced. These operators can be used in order to gradually construct hypergraphs out of smaller hypergraphs.

We propose a similar approach of graph construction where the information on how to concatenate graphs is not provided by operators, but rather by part of a colimit. The construction itself consists of completing the colimit and is related to the double-pushout approach [3]. The expressive power of graph rewriting in our approach is the same as for graph expressions [1] (and thus the same as in the double-pushout approach [8]). Compared to [1] we have additional information in the uniqueness property of the colimit and embeddings of the subgraphs into the constructed graph which are provided by the colimit. This information can be helpful when we want to reason about concurrent systems or if we want to extend the formalism. We still have a description of the graph in terms of edge and node sets, which makes it easy to add additional labels or annotations.

We demonstrate the usefulness of our approach by giving a compositional semantics of a process calculus with mobility and of Petri nets. Note that, although we model concurrent systems, the semantics itself will not be concurrent in the sense of true concurrency (as in [6]).

2 Hypergraphs and Hypergraph Construction

We first define some basic notions, namely hypergraph, hypergraph morphism, and isomorphism (see also [8]). Hypergraphs are a generalization of directed graphs where an arbitrarily long sequence of nodes is assigned to every edge. The order of nodes with respect to a certain edge is

relevant. Intuitively we construct hypergraphs by drawing edges (with nodes) and then merging the nodes, rather than by drawing nodes and then connecting them by edges. This intuition will also guide our choice of a hypergraph construction operator.


Definition 1. (Hypergraph, Hypergraph Morphism, Isomorphism) Let L be a fixed set of labels. A hypergraph H is a tuple $H = (V_H, E_H, s_H, l_H, \chi_H)$ where V_H is a set of nodes, E_H is a set of edges disjoint from V_H , $s_H: E_H \rightarrow V_H^*$ maps each edge to a string of source nodes, $l_H: E_H \rightarrow L$ assigns a label to each edge, and $\chi_H \in V_H^*$ is a string of external nodes.

Let H, H' be two hypergraphs. A hypergraph morphism $\phi: H \rightarrow H'$ consists of two mappings $\phi_E: E_H \rightarrow E_{H'}$, $\phi_V: V_H \rightarrow V_{H'}$ satisfying¹ $\phi_V(s_H(e)) = s_{H'}(\phi_E(e))$ and $l_H(e) = l_{H'}(\phi_E(e))$ for all $e \in E_H$. If furthermore $\phi_V(\chi_H) = \chi_{H'}$ we call ϕ a strong hypergraph morphism and denote it by $\phi: H \rightarrow H'$. The hypergraphs H and H' are called isomorphic ($H \cong H'$) if there exists a bijective strong morphism (= isomorphism) from one hypergraph into the other.

The arity of a hypergraph H is defined as $ar(H) = |\chi_H|$ while the arity of an edge e of H is $ar(e) = |s_H(e)|$. We can regard hypergraphs and hypergraph morphisms (respectively strong hypergraph morphisms) as objects respectively morphisms of a category.

Notation: We call a hypergraph *discrete*, if its edge set is empty. \mathbf{m} denotes a discrete graph of arity $m \in \mathbb{N}$ with m nodes where every node is external (see (a), external nodes are labelled (1), (2), ... in their respective order).


$H = [l]_n$ is the hypergraph with exactly one edge e with label l where $s_H(e) = \chi_H$, $|\chi_H| = n$, χ_H contains no duplicates and $V_H = \text{Set}(\chi_H)$, where $\text{Set}(s)$ is the set of all elements of a string s (see (b), nodes are ordered from left to right).



We now present the “concatenation operation” discussed in the introduction. The construction plan telling us how this concatenation is supposed to happen is represented by hypergraph morphisms mapping discrete graphs to discrete graphs. The following definitions use concepts from category theory, namely categories and colimits. For an introduction to these concepts see [3, 2].

Definition 2. (Hypergraph Construction) Let H_1, \dots, H_n be hypergraphs and let² $\zeta_i: \mathbf{m}_i \rightarrow D$, $i \in [n]$ be morphisms where $ar(H_i) = m_i \in \mathbb{N}$ and D is a discrete graph. There is always a unique strong morphism $\phi_i: \mathbf{m}_i \rightarrow H_i$ for every $i \in [n]$.

Let H (with morphisms $\phi: D \rightarrow H$, $\eta_i: H_i \rightarrow H$) be the colimit of $\zeta_1, \dots, \zeta_n, \phi_1, \dots, \phi_n$ such that ϕ is a strong morphism. We define: $\otimes_{i=1}^n (H_i, \zeta_i) = H$. (Alternatively we write $(H_1, \zeta_1) \otimes \dots \otimes (H_n, \zeta_n) \text{—or } \otimes(H_1, \zeta_1)$, if $n = 1$ —instead of $\otimes_{i=1}^n (H_i, \zeta_i)$.)



Generally, colimits do not necessarily exist, but they always exist in our case. The colimit is unique up to bijective morphisms, but *not* unique up to isomorphism. Therefore we demand above that the morphism ϕ from D into the colimit be a strong morphism and thereby determine the string of external nodes of the result. Furthermore the morphisms η_i generated by the colimit are always embeddings (as defined in [1]).

Hypergraph construction without category theory: although the characterization of hypergraph construction is more elegant in the categorical setting, we can also describe it without category theory. We assume that the node and edge sets of D and H_1, \dots, H_n are pairwise disjoint. Furthermore let \approx be the smallest equivalence on their nodes satisfying

$$\zeta_i(v) \approx \phi_i(v) \text{ if } i \in [n], v \in V_{\mathbf{m}_i}$$

¹ Application of morphisms to sequences of nodes is conducted pointwise.

² $[n]$ stands for the set $\{1, \dots, n\}$.

The nodes of the constructed graph are the equivalence classes of \approx . Thus $\bigotimes_{i=1}^n (H_i, \zeta_i)$ is isomorphic to

$$\left((V_D \cup \bigcup_{i=1}^n V_{H_i}) / \approx, \bigcup_{i=1}^n E_{H_i}, s_H, l_H, \chi / \approx \right)$$


where $s_H(e) = [v_1]_{\approx} \dots [v_k]_{\approx}$ if $e \in E_{H_i}$ and $s_{H_i}(e) = v_1 \dots v_k$. Furthermore $l_H(e) = l_{H_i}(e)$ if $e \in E_{H_i}$. And we define $\chi / \approx = [v_1]_{\approx} \dots [v_k]_{\approx}$ if $\chi_D = v_1 \dots v_k$.

In other words: we join all graphs D, H_1, \dots, H_n and fuse exactly the nodes which are the image of one and the same node in the \mathbf{m}_i . χ_D becomes the new sequence of external nodes.

Now the morphisms $\phi : D \rightarrow H$ and $\eta_i : H_i \rightarrow H$ can be defined as follows: $\phi(v) = [v]_{\approx}$ if $v \in V_D$. Furthermore $\eta_i(v) = [v]_{\approx}$ if $v \in V_{H_i}$ and $\eta_i(e) = e$ if $e \in E_{H_i}$.

Example: we want to construct a graph H consisting of a hyperedge representing a message (labelled M) and two hyperedges representing processes (labelled P, Q). (We will show in section 5 how to model the reception of a message by a process with graph rewriting.)

H consists of two subgraphs H_1 (containing the process labelled P and a message) and H_2 (containing a process labelled Q) which are concatenated according to the “construction plan” given by the discrete morphisms ζ_1, ζ_2 . E.g. the third external node of H_1 is fused with the third external node of D . This, in turn, is fused with the first external node of H_2 . Isolated nodes in H are generated by nodes in D which are not in the range of either of the ζ_i .



Example: another example is an operator which takes two hypergraphs of the same arity and attaches them at their external nodes, i.e. the nodes are merged in their respective order. Let m be a fixed natural number and let $\zeta : \mathbf{m} \rightarrow \mathbf{m}$ be a strong morphism. We define $H_1 \square H_2 = (H_1, \zeta) \otimes (H_2, \zeta)$ for H_1, H_2 satisfying $ar(H_1) = ar(H_2) = n$.

3 Graph Expressions and the Double-Pushout Approach

3.1 Graph Expressions

Graph expressions were introduced by Michel Bauderon and Bruno Courcelle in [1] as an algebraic structure for graph construction. They introduced three operators (explained below) and a complete set of equations relating hypergraphs if and only if they are isomorphic. We will now introduce the three operators and give their corresponding version in our framework in terms of the discrete morphisms ζ_i .

Disjoint Sum: $H_1 \oplus H_2$ is the hypergraph resulting from the disjoint union of the node and edge sets and of the source and labelling functions of H_1 and H_2 . Furthermore χ_{H_1} and χ_{H_2} are

concatenated to form the sequence of external nodes of $H_1 \oplus H_2$. $H_1 \oplus H_2 \cong \bigotimes_{i=1}^2 (H_i, \zeta_i)$ where ζ_1, ζ_2 are defined as in figure 1 (a) ($m = ar(H_1)$, $n = ar(H_2)$).

Redefinition of External Nodes: Let $\alpha : [p] \rightarrow [m]$ and $m = ar(H)$. Then $\sigma_\alpha(H)$ is the hypergraph resulting from redefining the external nodes of H according to α , i.e. χ_H is replaced by³ $[\chi_H]_{\alpha(1)} \cdots [\chi_H]_{\alpha(p)}$. The rest of the hypergraph stays unchanged.

We exploit the fact that α can always be decomposed into $\alpha = \alpha_1 \circ \cdots \circ \alpha_k$ where each α_i has one of the following three forms listed below. According to [1] $\sigma_\alpha(H) \cong \sigma_{\alpha_k}(\cdots \sigma_{\alpha_1}(H) \cdots)$. Thus we only have to consider these three cases.

In each of the following cases $\sigma_\alpha(H) \cong \otimes(H, \zeta)$.

Permutation of External Nodes: $\alpha : [m] \rightarrow [m]$ is a bijection. ζ is defined in (b).

Hiding an External Node: $\alpha : [m] \rightarrow [m+1]$ where $\alpha(i) = i$. ζ is defined in (c).

Duplicating an External Node: $\alpha : [m+1] \rightarrow [m]$ where $\alpha(i) = i$ if $i \in [m]$ and $\alpha(m+1) = m$. Then ζ is defined as in figure 1 (d).

Fusing External Nodes: Let δ be an equivalence relation on $[m]$ where $m = ar(H)$. $\theta_\delta(H)$ is obtained by fusing all external nodes which are related by δ . The arity of the hypergraph is not changed.

According to [1] $\theta_\delta(H) \cong \theta_{\delta_k}(\cdots \theta_{\delta_1}(H) \cdots)$ where each δ_i is an equivalence generated by a single pair (i, j) with $i, j \in [m]$. With the permutation operation defined above it suffices to define a colimit construction fusing the last two nodes of a hypergraph. Let δ' be the equivalence on $[m]$ generated by the pair $(m-1, m)$. Then $\theta_{\delta'}(H) \cong \otimes(H, \zeta)$ where ζ is defined as in figure 1 (e).




Fig. 1. Converting a graph expression into the corresponding colimit construction.

We have shown how to emulate all three operators by colimits. It is still left to show how the subsequent application of colimits can be converted into one single colimit construction. We will delay this until section 4.

3.2 The Double-Pushout Approach

The double-pushout approach to graph rewriting was introduced by Ehrig [3], the double-pushout approach to *hypergraph* rewriting is presented in [8]. Our colimit construction is closely related to this approach. We will now make this connection precise. If, in the diagram in definition 2, we set $n = 1$ and allow D to be an arbitrary non-discrete graph, we obtain exactly the right-hand side of a double-pushout.

This does not yet reveal anything about the expressive power of our approach. We will now define the notion of a rewriting step: let $r = (L, R)$ be a rewriting rule, where L, R are hypergraphs with $ar(L) = ar(R)$. Then \xrightarrow{r} is the smallest relation which is generated by the following two rules and is closed under isomorphism.

³ $[s]_i$ denotes the i -th element of the string s .


$$L \xrightarrow{r} R \quad \frac{H_1 \xrightarrow{r} H'_1}{(H_1, \zeta_1) \otimes (H_2, \zeta_2) \xrightarrow{r} (H'_1, \zeta_1) \otimes (H_2, \zeta_2)}$$

Proposition 1. *Let G, H be hypergraphs and let $r = (L, R)$ be a rewriting rule. Then $G \xrightarrow{r} H$ if and only if G can be transformed into H by r in the double-pushout approach (with a production span $L \leftarrow \mathbf{m} \rightarrow R$ where $m = ar(L) = ar(R)$).*

Proof. It was already shown in [1] that the expressive power of rewriting in terms of graph expressions is equal to the expressive power of the double-pushout approach (where components of a production span might be non-injective). The proposition follows from the fact that graph expressions are equivalent to our form of graph construction (see section 3.1).


We now show the proposition in a more direct way and explain in detail how the double-pushout approach relates to our approach:

- first, we prove that if H is a colimit of $\zeta_1, \zeta_2, \phi_1, \phi_2$ in diagram (a) and diagram (b) consists of two pushouts, then $H \cong H'$.




Diagrams (a) and (b) can always be completed to form colimits, since we can always explicitly construct the colimit as in the remark after definition 2.

- We first construct a morphism $\psi : H \rightarrow H'$. From diagram (b) it follows that $\eta_K \circ \eta_D : D \rightarrow H'$, $\eta'_1 : H_1 \rightarrow H'$ and $\eta_K \circ \eta'_2 : H_2 \rightarrow H'$. Since diagram (a) is a colimit this implies the existence of a morphism $\psi : H \rightarrow H'$ satisfying $\psi \circ \phi = \eta_K \circ \eta_D$, $\psi \circ \eta_1 = \eta'_1$ and $\psi \circ \eta_2 = \eta_K \circ \eta'_2$ (see figure (c) below).



- In the same way we can show that there is a morphism $\psi'_2 : H' \rightarrow H$: from diagram (a) it follows that $\phi : D \rightarrow H$ and $\eta_2 : H_2 \rightarrow H$. This implies the existence of $\psi'_1 : K \rightarrow H$ satisfying $\psi'_1 \circ \eta'_2 = \eta_2$ and $\psi'_1 \circ \eta_D = \phi$. Since there is a morphism $\eta_1 : H_1 \rightarrow H$, it follows that there exists a morphism $\psi'_2 : H' \rightarrow H$ satisfying $\psi'_2 \circ \eta'_1 = \eta_1$ and $\psi'_2 \circ \eta_K = \psi'_1$.

- We will now show that $\psi'_2 \circ \psi = id_{H'}$: we know that $(\psi'_2 \circ \psi) \circ \phi = \psi'_2 \circ \eta_K \circ \eta_D = \phi$, $(\psi'_2 \circ \psi) \circ \eta_1 = \psi'_2 \circ \eta'_1 = \eta_1$ and $(\psi'_2 \circ \psi) \circ \eta_2 = \psi'_2 \circ \eta_K \circ \eta'_2 = \eta_2$. Since a morphism satisfying these conditions is unique and there is already one morphism ($id_{H'}$) satisfying them, it follows that $\psi'_2 \circ \psi = id_{H'}$.
 - The next step is to show that also $\psi \circ \psi'_2 = id_H$. We first show that $\psi \circ \psi'_1 = \eta_K$ by regarding the pushout on the left-hand side in diagram (b) and the hypergraph H' : we know that $\eta_K \circ \eta_D = \psi \circ \phi = (\psi \circ \psi'_1) \circ \eta_D$ and $\eta_K \circ \eta'_2 = \psi \circ \eta_2 = (\psi \circ \psi'_1) \circ \eta'_2$. Since the morphism satisfying these conditions is unique it follows that $\eta_K = \psi \circ \psi'_1$. Furthermore it follows that $(\psi \circ \psi'_2) \circ \eta'_1 = \psi \circ \eta_1 = \eta'_1$ and $(\psi \circ \psi'_2) \circ \eta_K = \psi \circ \psi'_1 = \eta_K$. Since (because of the pushout on the right-hand side in diagram (b)) there is a unique morphism satisfying these conditions, and we know that id_H is satisfying them, it follows that $\psi \circ \psi'_2 = id_H$.
 - Since $\psi'_2 \circ \psi = id_{H'}$ and $\psi \circ \psi'_2 = id_H$ it follows that ψ is bijective. It is left to show that it is a strong morphism: $\psi(\chi_H) = \psi(\phi(\chi_D)) = \eta_K(\eta_D(\chi_D)) = \chi_{H'}$. (ϕ, η_K, η_D are strong by definition.)
- We now assume that $G \xrightarrow{(L,R)} H$. Because of proposition 2 in section 4 we can assume that each of the two rewrite rules generating $\xrightarrow{(L,R)}$ is used exactly once. Thus we can conclude that $G \cong (L, \zeta_1) \otimes (J, \zeta_2)$ and $H \cong (R, \zeta_1) \otimes (J, \zeta_2)$. We now set $K = \otimes(J, \zeta_2)$ (as in the pushout on the right-hand side in diagram (b)). Then G is the pushout of $\eta_D \circ \zeta_1$ and ϕ_1 (the canonical strong morphism) in diagram (b). (We assume that $H_1 = L$, $H_2 = J$ and $H' = G$.) In the same way we can describe H as a pushout of $\eta_D \circ \zeta_1$ and the canonical strong morphism from \mathbf{m}_1 into R .
- Now assume we can transform G into H by applying the production span $L \leftarrow \mathbf{m} \rightarrow R$ in the double-pushout approach. (In [4] it was shown that every double-pushout can be converted into a double-pushout where the middle graph in the production span is discrete. We can also assume that all its nodes are external, that it is therefore isomorphic to \mathbf{m} and that there are strong morphisms $\phi_L : \mathbf{m} \rightarrow L$ and $\phi_R : \mathbf{m} \rightarrow R$.) A double-pushout has the form shown in figure (e).



We assume that K' is the same hypergraph as K with a different sequence of external nodes. We obtain K' by replacing the sequence of external nodes of K by $\chi_K \circ \psi(\chi_{\mathbf{m}})$. Let $\xi : \mathbf{n} + \mathbf{m} \rightarrow D$ (where $n = ar(K)$) be a discrete morphism such that $K \cong \otimes(K', \xi)$, i.e. ξ hides the last m nodes of K' (compare with section 3.1). Now let $\zeta : \mathbf{m} \rightarrow D$ be a discrete morphism such that⁴ $\zeta(\chi_{\mathbf{m}}) = \xi([\chi]_{n+1\dots n+m})$, therefore $\eta'(\zeta(\chi_{\mathbf{m}})) = \eta'(\xi([\chi]_{n+1\dots n+m})) = \psi(\chi_{\mathbf{m}})$ and $\eta' \circ \zeta = \psi$. (η' is generated by the pushout in figure (f).)

This implies that $G \cong (L, \zeta) \otimes (K', \xi)$. And in the same way we can show that $H \cong (R, \zeta) \otimes (K', \xi)$. It thus follows that $G \xrightarrow{(L,R)} H$.

□

⁴ Let $s = a_1 \dots a_n$ be a string of elements. Then $[s]_{i_1 \dots i_m} = a_{i_1} \dots a_{i_m}$

Proof. With section 3.1 and [1] it is straightforward to see that such a factorization of a hypergraph H is always possible (isolated nodes in H are generated by nodes of the discrete graph G which are not in the range of any of the ζ_i .)

We will now show that the factorization is unique. Let

$$H \cong \bigotimes_{i=1}^n ([l_i]_{m_i}, \zeta_i) \quad H \cong \bigotimes_{i=1}^{n'} ([l'_i]_{m'_i}, \zeta'_i)$$

where $\zeta_i : \mathbf{m}_i \rightarrow D$, $i \in [n]$ respectively $\zeta'_i : \mathbf{m}'_i \rightarrow D$, $i \in [n']$. Let $\eta_i : [l_i]_{m_i} \rightarrow H$, $i \in [n]$ and $\phi : D \rightarrow H$ respectively $\eta'_i : [l'_i]_{m'_i} \rightarrow H$, $i \in [n']$ and $\phi' : D' \rightarrow H$ be the morphisms generated by the colimit.

Since n respectively n' stand for the number of edges of H it follows that $n = n'$. And since the η_i respectively η'_i are the embeddings of the edges into H , it follows that there is a permutation $\alpha : [n] \rightarrow [n]$ such that $\eta_i = \eta'_{\alpha(i)}$, which implies that $m_i = m'_{\alpha(i)}$ and $l_i = l'_{\alpha(i)}$.

It is left to show that ζ_i and $\zeta'_{\alpha(i)}$ are equal up to isomorphism. We prove that ϕ_V is a bijection (the same holds for ϕ'_V with the same arguments). From the remark after definition 2 it follows that a hypergraph isomorphic to H can be constructed by taking the union of D and the edges $[l_i]_{m_i}$ and fusing the nodes according to the equivalence \approx . Because of the special nature of the hypergraphs which are concatenated (the $[l_i]_{m_i}$ have no duplicates in their sequences of external nodes and no internal nodes), it follows that every nodes of an edge $[l_i]_{m_i}$ is related to some node in D and that no two different nodes of D are related. That is, the equivalence classes are exactly the nodes of D . Since ϕ_V is isomorphic to a function that maps every node of D to its equivalence class, it follows that $\phi_V : V_D \rightarrow V_H$ is a bijection.

It follows that

$$(\zeta_i)_V = \phi_V^{-1} \circ (\eta_i)_V \circ (\phi_i)_V = \phi_V^{-1} \circ (\eta'_{\alpha(i)})_V \circ (\phi'_{\alpha(i)})_V = \phi_V^{-1} \circ \phi'_V \circ (\zeta'_{\alpha(i)})_V$$

$\phi_V^{-1} \circ \phi'_V : V_{D'} \rightarrow V_D$ is a bijection and since ζ_i , $\zeta'_{\alpha(i)}$ are defined only on discrete graphs they are the same up to isomorphism. \square

As in vector spaces we can define linear mappings on hypergraphs.

Definition 3. (Linear Mapping) A linear mapping L maps hypergraphs to hypergraphs of the same arity and satisfies $L(\bigotimes_{i=1}^n (H_i, \zeta_i)) \cong \bigotimes_{i=1}^n (L(H_i), \zeta_i)$.

Proposition 4. (Unique Linear Mapping) For each mapping of hyperedges $[l]_m$ to hypergraphs of arity m , there is exactly one linear mapping (up to isomorphism) which is an extension of the original mapping.

Proof. Let L' map hyperedges to hypergraphs of the same arity.

- We first show that there is at most one linear mapping L which extends L' : let H be an arbitrary hypergraph and let $H \cong \bigotimes_{i=1}^n ([l_i]_{m_i}, \zeta_i)$ be the unique factorization of H according to proposition 3. If there is a linear mapping L it satisfies: $L(H) \cong \bigotimes_{i=1}^n (L'([l_i]_{m_i}), \zeta_i)$ and $L(H)$ is fixed up to isomorphism.
- We now show that there is at least one linear mapping L . We define L as follows:

$$L\left(\bigotimes_{i=1}^n ([l_i]_{m_i}, \zeta_i)\right) = \bigotimes_{i=1}^n (L'([l_i]_{m_i}), \zeta_i)$$

This is well-defined since the factorization of every hypergraph is unique. It is left to show that L is a linear mapping.

Let $H \cong \bigotimes_{i=1}^n (H_i, \zeta_i)$. According to proposition 3 $H_i \cong \bigotimes_{j=1}^{n_i} ([l_{ij}]_{m_{ij}}, \zeta_{ij})$ for suitable $l_{ij}, m_{ij}, \zeta_{ij}$. It follows that

$$L(H) \cong L\left(\bigotimes_{i=1}^n \left(\bigotimes_{j=1}^{n_i} ([l_{ij}]_{m_{ij}}, \zeta_{ij})\right), \zeta_i\right)$$

From proposition 2 follows the existence of morphisms ξ_i such that

$$L(H) \cong L\left(\bigotimes_{i,j} ([l_{ij}]_{m_{ij}}, \xi_i \circ \zeta_{ij})\right) = \bigotimes_{i,j} (L'([l_{ij}]_{m_{ij}}, \xi_i \circ \zeta_{ij}))$$

Again from proposition 2 it follows that

$$L(H) \cong \bigotimes_{i=1}^n \bigotimes_{j=1}^{n_i} (L'([l_{ij}]_{m_{ij}}, \zeta_{ij}), \zeta_i) \cong \bigotimes_{i=1}^n (L(H_i), \zeta_i)$$

□

One can view the application of a linear mapping as a synchronous rewriting step, replacing every hyperedge at the same time.

Examples: we define a mapping that duplicates every edge in a hypergraph. If $H = (V, E, s, l, \chi)$ is a hypergraph, $dupl(H)$ is defined by $(V, E \cup \bar{E}, s \cup \bar{s}, l \cup \bar{l}, \chi)$ where $\bar{E} = \{\bar{e} \mid e \in E\}$, $\bar{s} : \bar{E} \rightarrow V^*$ with $\bar{s}(\bar{e}) = s(e)$ and $\bar{l} : \bar{E} \rightarrow L$ with $\bar{l}(\bar{e}) = l(e)$. $dupl$ is a linear mapping and can be generated by fixing the images of single hyperedges: $dupl([l]_m) = [l]_m \square [l]_m$ (where \square is the operator defined in section 2). Note that a mapping that duplicates all nodes, can not be linear.

Another simple example is a mapping that deletes all edges, i.e. produces a discrete graph. We define $discrete(H) = (V, \emptyset, \emptyset, \emptyset, \chi)$. It is linear and can be generated by defining $discrete([l]_m) = \mathbf{m}$ for all hyperedges.

The usefulness of linear mappings will become clear in the following section where we use a linear mapping in order to analyse mobile processes. Another important use of linear mappings is to annotate hypergraphs. We can extend the construction operation in order to concatenate hypergraphs with annotations (e.g. nodes labelled with monoid elements), as will be done in section 6. We can then define an extended notion of a linear mapping which maps hypergraph to annotated hypergraph and satisfies


$$L\left(\bigotimes_{i=1}^n (H_i, \zeta_i)\right) \cong \bigotimes_{i=1}^n (L(H_i), \zeta_i)$$

where we use the extended construction operation on the right-hand side.

5 Typed Process Graphs


We show how to model a process calculus, closely related to the asynchronous polyadic π -calculus [14], by so-called process graphs. There is an encoding from the π -calculus into process graphs [10, 9]. On the other hand there is a straightforward encoding of process graphs into closed action calculi [7] and a close relation of our process graphs to the ones in [16]. A process graph is defined inductively in the following way.

Definition 4. (Process Graphs) A process graph P is inductively defined as follows: P is a hypergraph where each edge e is either labelled with $(n)Q$ where Q is again a process graph and $1 \leq n \leq ar(Q)$ (e is a process waiting for a message with n ports arriving at its first node), with $!Q$ (e is a process which can replicate itself creating arbitrary many instances of Q) or with the constant M (e is a message sent to its last node). The reduction relation (reception of a message and its nodes by a process) is generated by the rewrite rules in figure (a) and is closed under graph construction.



The rewrite rule in (a) is not always defined, it may fail if $ar(Q) \neq m + n'$ in the message reception rule or $ar(Q) \neq m$ in the replication rule. Furthermore we want to avoid that $n \neq n'$ in the message reception rule, that is we want to ensure that the expected number of nodes is received. We use morphisms, graph construction and a linear mapping in order to define a condition which is sufficient for avoiding this kind of runtime errors and which can be checked statically.

Proposition 5. Let L be a linear mapping which is defined on the hyperedges as follows: $L([M]_n) = [t]_n$ (t is a new edge label), $L(!Q)_m = L(Q)$ if $m = ar(Q)$ and $L([(n)Q]_m) = (L(Q), \zeta) \otimes ([t]_{n+1}, \xi)$ if $n + m = ar(Q)$ (undefined otherwise). ζ, ξ are defined in figure (b).



Let P be a process graph. If there exists a strong morphism $\psi : L(P) \rightarrow H$ into a hypergraph H which satisfies

$$e_1, e_2 \in E_H, [s_H(e_1)]_{ar(e_1)} = [s_H(e_2)]_{ar(e_2)} \Rightarrow e_1 = e_2 \quad (2)$$


(i.e. all messages that share the last node are already the same) then P will never encounter a runtime error during reduction.

Proof. Let P be a process graph with $\psi : L(P) \rightarrow H$ where H satisfies condition 2.

We now show that P does not encounter a runtime error in its next reduction step, along with the fact that the subject reduction property is satisfied. The subject reduction property says that if $P \Rightarrow P'$, then there is also a strong morphism $\psi' : L(P') \rightarrow H$. These two properties together ensure absence of runtime errors for the entire reduction.

We proceed by induction on the reduction rules:

- Let P be the left-hand side of the message reception rule in figure (a). From proposition 2 it follows that $L(P) \cong (L(Q), \zeta_1) \otimes ([t]_{n+1}, \zeta_2) \otimes ([t]_{n'+1}, \zeta_3) =: R$ where $\zeta_1, \zeta_2, \zeta_3$ are defined as follows:



The condition in the definition of L tells us that $m + n = ar(Q)$ and since we will later show that $n = n'$ we have thus eliminated the first sort of runtime error.

Now let $\eta_1 : L(Q) \rightarrow R$, $\eta_2 : [t]_{n+1} \rightarrow R$, $\eta_3 : [t]_{n'+1} \rightarrow R$ be the embeddings into R generated by the colimit. Furthermore we know that there exists a strong morphism $\psi : R \rightarrow H$. Our aim is to show that $\psi \circ \eta_1 : L(Q) \rightarrow H$ is the strong morphism we are looking for. We proceed in two steps:

- We first show that $\psi(\eta_1(\lfloor \chi_{L(Q)} \rfloor_{1\dots m})) = \lfloor \chi_H \rfloor_{1\dots m}$:

$$\begin{aligned} \psi(\eta_1(\lfloor \chi_{L(Q)} \rfloor_{1\dots m})) &= \psi(\eta_1(\phi_1(\lfloor \chi_{\mathbf{m}+\mathbf{n}} \rfloor_{1\dots m}))) \\ &= \psi(\phi(\zeta_1(\lfloor \chi_{\mathbf{m}+\mathbf{n}} \rfloor_{1\dots m}))) = \psi(\phi(\lfloor \chi_D \rfloor_{1\dots m})) = \psi(\lfloor \chi_R \rfloor_{1\dots m}) \\ &= \lfloor \chi_H \rfloor_{1\dots m} \end{aligned}$$

(ϕ_1 is the canonical strong morphism from $\mathbf{m} + \mathbf{n}$ into $L(Q)$ and $\phi : D \rightarrow R$ is the strong morphism generated by the colimit.)

- In the next step we show that $\psi(\eta_1(\lfloor \chi_{L(Q)} \rfloor_{m+1\dots m+n})) = \lfloor \chi_H \rfloor_{m+1\dots m+n'}$ and thus $n = n'$ which avoids the second sort of runtime errors.
Let e be the one edge in $[t]_{n+1} = T$ and let e' be the one edge in $[t]_{n'+1} = T'$. It follows that


$$\begin{aligned} \lfloor s_H(\psi(\eta_2(e))) \rfloor_{ar(e)} &= \lfloor \psi(\eta_2(s_T(e))) \rfloor_{n+1} = \lfloor \psi(\eta_2(\chi_T)) \rfloor_{n+1} \\ &= \lfloor \psi(\eta_2(\phi_2(\chi_{\mathbf{n}+1}))) \rfloor_{n+1} = \lfloor \psi(\phi(\zeta_2(\chi_{\mathbf{n}+1}))) \rfloor_{n+1} \\ &= \lfloor \psi(\phi(\zeta_3(\chi_{\mathbf{n}'+1}))) \rfloor_{n'+1} = \lfloor \psi(\eta_3(\phi_3(\chi_{\mathbf{n}'+1}))) \rfloor_{n'+1} = \lfloor \psi(\eta_3(\chi_{T'})) \rfloor_{n'+1} \\ &= \lfloor \psi(\eta_3(s_{T'}(e))) \rfloor_{n'+1} = \lfloor s_H(\psi(\eta_3(e))) \rfloor_{ar(e')} \end{aligned}$$

(ϕ_2 respectively ϕ_3 are the canonical strong morphisms from $\mathbf{n} + \mathbf{1}$ into $[t]_{n+1}$ respectively from $\mathbf{n}' + \mathbf{1}$ into $[t]_{n'+1}$.) Condition (2) implies that $\psi(\eta_2(e)) = \psi(\eta_3(e'))$. It follows that $n + 1 = ar(e) = ar(\psi(\eta_2(e))) = ar(\psi(\eta_3(e'))) = ar(e') = n' + 1$ and thus $n = n'$. Now

$$\begin{aligned} \psi(\eta_1(\lfloor \chi_{L(Q)} \rfloor_{m+1\dots m+n})) &= \psi(\eta_1(\phi_1(\lfloor \chi_{\mathbf{m}+\mathbf{n}} \rfloor_{m+1\dots m+n}))) \\ &= \psi(\phi(\zeta_1(\lfloor \chi_{\mathbf{m}+\mathbf{n}} \rfloor_{m+1\dots m+n}))) = \psi(\phi(\zeta_2(\lfloor \chi_{\mathbf{n}+1} \rfloor_{1\dots n}))) \\ &= \psi(\eta_2(\phi_2(\lfloor \chi_{\mathbf{n}+1} \rfloor_{1\dots n}))) = \psi(\eta_2(\lfloor \chi_{s_T(e)} \rfloor_{1\dots n})) = \lfloor s_H(\psi(\eta_2(e))) \rfloor_{1\dots n} \\ &= \lfloor s_H(\psi(\eta_3(e'))) \rfloor_{1\dots n} = \psi(\eta_3(\lfloor \chi_{s_{T'}(e')} \rfloor_{1\dots n})) = \psi(\eta_3(\phi_3(\lfloor \chi_{\mathbf{n}'+1} \rfloor_{1\dots n}))) \\ &= \psi(\phi(\zeta_3(\lfloor \chi_{\mathbf{n}'+1} \rfloor_{1\dots n}))) = \psi(\phi(\lfloor \chi_D \rfloor_{m+1\dots m+n'})) = \lfloor \chi_H \rfloor_{m+1\dots m+n'} \end{aligned}$$

Together we conclude that $\psi(\eta_1(\chi_{L(Q)})) = \chi_H$ and $\psi \circ \eta_1$ is thus the desired strong morphism.
– Let $P = [!Q]_n$ be the left-hand side of the replication rule in figure (a). Then $P \Rightarrow P'$ and $P' = Q \square [!Q]_n$. $L(P) = L(Q)$ and $L(P') = L(Q) \square L(Q)$. Since $L(P) = L(Q)$ is defined, it follows that $ar(Q) = m$ and therefore $L(P')$ is also defined. We have to show that there exists a strong morphism $\psi : L(Q) \square L(Q) \rightarrow L(Q)$ ($L(Q) \square L(Q) = (L(Q), \zeta) \otimes (L(Q), \zeta)$ where $\zeta : \mathbf{n} \rightarrow \mathbf{n}$).

Obviously the identity morphism $id : L(Q) \rightarrow L(Q)$ is a strong morphism. Furthermore there is a unique strong morphism $\phi' : \mathbf{n} \rightarrow L(Q)$ and it holds that $\phi' \circ \zeta = id \circ \phi'$. Now let $\phi : \mathbf{n} \rightarrow L(Q) \square L(Q)$ be the morphism generated by the colimit. The properties of a colimit imply the existence of a morphism $\psi : L(Q) \square L(Q) \rightarrow L(Q)$ such that $\psi \circ \phi = \phi'$. Since ϕ and ϕ' are both strong, it follows that ψ is also a strong morphism.



- Let

$$\frac{P_1 \rightarrow P'_1, P_2 \cong P'_2}{P = (P_1, \zeta_1) \otimes (P_2, \zeta_2) \Rightarrow (P'_1, \zeta_1) \otimes (P'_2, \zeta_2) = P'}$$

$L(P) \cong (L(P_1), \zeta_1) \otimes (L(P_2), \zeta_2)$. Let $\eta_i : L(P_i) \rightarrow L(P)$, $i \in [2]$ be the embeddings and let $\phi : D \rightarrow L(P)$ be the strong morphism generated by the colimit. It follows that⁵


$$\psi \circ \eta_i : L(P_i) \rightarrow H[\psi(\eta_i(\chi_{L(P_i)}))]$$

⁵ Let H be a hypergraph. $H[\chi']$ is the hypergraph we obtain from H by replacing χ_H with χ' .

The induction hypothesis implies that there is a strong morphism $\psi'_1 : L(P'_1) \rightarrow H[\psi(\eta_i(\chi_{L(P_i)}))]$. Furthermore we set $\psi'_2 = \psi \circ \eta_2$.

Let $m_i = ar(P_i) = ar(P'_i)$. Now let $\phi'_i : \mathbf{m}_i \rightarrow L(P'_i)$ be the canonical strong morphisms, and let $\eta'_i : L(P'_i) \rightarrow L(P')$ and $\phi' : D \rightarrow L(P')$ be the morphisms generated by the colimit $L(P') \cong (L(P'_1), \zeta_1) \otimes (L(P'_2), \zeta_2)$.

We know that $\psi'_i : L(P'_i) \rightarrow H$ and $\psi \circ \phi' : D \rightarrow H$. If we can show that $\psi'_i \circ \phi'_i = (\psi \circ \phi) \circ \zeta_i$ the properties of the colimit guarantee the existence of a morphism $\psi' : L(P') \rightarrow H$. And since $\psi' \circ \phi' = \psi \circ \phi$ and ψ, ϕ, ϕ' are strong, it follows that ψ' is also a strong morphism.



It is left to show that $\zeta_i \circ \psi'_i = (\psi \circ \phi) \circ \zeta_i$:

$$\begin{aligned} \psi'_i(\phi'_i(\chi_{\mathbf{m}_i})) &= \psi'_i(\chi_{L(P'_i)}) \\ &= \psi(\eta_i(\chi_{L(P_i)})) = \psi(\phi(\zeta_i(\chi_{\mathbf{m}_i}))) \end{aligned}$$

And thus $\psi'_i \circ \phi'_i = (\psi \circ \phi) \circ \zeta_i$.


□

L extracts pure communication structure from a process graph, i.e. an edge of the form $[t]_n$ indicates that its nodes (except the last) might be sent or received via its last node. Condition (2) makes sure that the arity of the arriving message matches the expected arity and that nodes that might get fused during reduction are already fused in H . It thus guarantees absence of undefined rewrites for the entire reduction.

H can be regarded as a type of P and we can easily unfold H into well-known type trees of π -calculus processes [15]. The method presented above corresponds to a type system for the π -calculus with recursive types and simple polymorphism. The type of a process can also be specified by inductive typing rules rather than by a linear mapping.

More expressive (generic) type systems for the analysis of processes, which can be nicely integrated into the graph-based setting, can be found in [10, 9].

As an example we regard the following process graph:




There is a server (the process on the left) which receives messages on its first port (before the server can receive a message it must create a copy of itself) and sends back its second port to the address that was attached to the message. At this address another process (the process on the right) is waiting, it receives the message with the second port of the server and sends its own message there.

We use the following syntactic sugar: the last node of a message (i.e. the node or port to which the message is sent) is connected with the message by a dashed line. Nodes of hypergraph in inner level which will be merged with nodes attached to a message are shaded grey.

If we represent the three external ports by a, b, c respectively and denote the internal node by d , the process graph above corresponds to the following process in the π -calculus [14]:

$$!a(x).\bar{x}\langle b \rangle \mid \bar{a}\langle c \rangle \mid (\nu d)(c(y).\bar{y}\langle c, d \rangle)$$

Typing the process graph above intuitively means flattening the hypergraph until it consists of only one hierarchy level. Hyperedges representing replicating processes are discarded, messages and processes waiting for a message are appropriately replaced by edges labelled t . After folding the hypergraph (i.e. merging the hyperedges according to condition (2)) we obtain the following type graph T :



We can now reconstruct the type assignment of the corresponding π -calculus process (a type assignment consists of type trees for every free name) by unfolding the type graph starting at one of the external nodes. The nodes of the graph T are transformed into nodes of the tree: if there is an edge e with $s_T(e) = v_1 \dots v_{n-1} v_n$ then v_1, \dots, v_{n-1} are the children of the parent v_n (in that order). In this case the unfolding of the type graph leads to infinite trees which can be represented by using a recursion operator μ . Thus a valid type assignment for the π -calculus process above is

$$a : [\mu\alpha[[\alpha, \beta]]], \quad b : \mu\alpha[[\alpha], \beta], \quad c : \mu\alpha[[\alpha, \beta]]$$

$[t_1, \dots, t_n]$ is a tree with subtrees t_1, \dots, t_n , α and β are tree-valued variables. There is some polymorphism in the type of the process: β is not bound and represents an arbitrary type tree.

6 A Compositional Semantics for Petri Nets

We will now show another application of graph construction by giving a compositional semantics for Petri nets. A Petri net can easily be represented by a hypergraph H (compare with [12]): nodes are places and edges are transitions. Since we do not distinguish source and target nodes a priori, we partition the nodes of an edge into sources and targets with the labelling function $l : E \rightarrow \mathbb{N} \times \mathbb{N}$. If $l(e) = (s, t)$ then $s + t = ar(e)$, s is the number of sources (the first s nodes) and t (the last t nodes) is the number of targets. We also need an additional labelling $z : V_H \rightarrow Mon$ mapping each node to an element of a cancellative commutative monoid, in order to represent the tokens present at each node. In our example we will set $Mon = \mathbb{N}$, but we could also represent high-level Petri nets by assuming that Mon is the set of all multi-sets over certain elements.

A Petri net is now a pair $[H, z]$ where H is a hypergraph with labels taken from $\mathbb{N} \times \mathbb{N}$ and $z : V_H \rightarrow Mon$ is a mapping. Before we can define the semantics we first have to extend our notion of hypergraph construction to hypergraphs with tokens. But this is easy since our construction operation yields morphisms of the subgraphs into the constructed graph. Let $[H_i, z_i]$ be Petri nets. We define:

$$\bigotimes_{i=1}^n ([H_i, z_i], \zeta_i) \cong [\bigotimes_{i=1}^n (H_i, \zeta_i), z] \quad \text{where } z(v) = \sum_{i=1}^n \sum_{\eta_i(w)=v} z_i(w)$$

The η_i are the morphisms of H_i into $\bigotimes_{i=1}^n (H_i, \zeta_i)$ yielded by the colimit. \sum is the commutative operation of Mon .

Inductive Definition of Petri Nets: a Petri net N is either of the form $[[s, t]_{s+t}, z]$ where $z : V_{[s, t]_{s+t}} \rightarrow Mon$ or $\bigotimes_{i=1}^n (N_i, \zeta_i)$ with adequate discrete morphisms ζ_i , where the N_i are again Petri nets.

Semantics of Petri Nets: we now assume that $Mon = \mathbb{N}$. A single transition fires if all its source nodes are labelled with tokens. And if one transition fires, the entire net is changed accordingly.

$$[T, z] \Longrightarrow [T, z'] \quad \frac{N_1 \Longrightarrow N'_1}{(N_1, \zeta_1) \otimes (N_2, \zeta_2) \Longrightarrow (N'_1, \zeta_1) \otimes (N_2, \zeta_2)}$$

where $T = [s, t]_{s+t}$ is a transition, $z, z' : V_T \rightarrow \{0, 1\}$ and $z(\lfloor \chi_T \rfloor_i) = 1 \iff i \in [s] \iff z'(\lfloor \chi_T \rfloor_i) = 0$.

This approach works also when a place is allowed to hold more than one token. In this case the extra tokens which are not needed to fire a transition are not attached to the transition (or edge) itself but to the external nodes of the surrounding hypergraphs.

7 Conclusion

We have presented a method of hypergraph construction which allows us to build hypergraphs out of smaller ones. The basic units are single edges. This method can be used to give an operational semantics to concurrent systems whose states can often be represented by hypergraphs in a natural way.

Another approach concerning inductive graph representation was given in [5] with a different categorical representation of graphs (in this paper graphs are the *morphisms* of a category) and different operators on graphs.

Future work will consist in designing further techniques for the analysis of concurrent systems with a hypergraph-based semantics. One promising direction is to continue the work on generic type systems for process graphs [10] and to extend it to more general graph rewrite systems. Furthermore we plan to investigate the connection between our approach to model Petri nets and existing approaches as in [13, 12].

Remark: this technical report is the extended version of [11].

Acknowledgements: I would like to thank my colleagues and my former advisor Jürgen Eickel. Furthermore I want to express my gratitude to the anonymous referees for their valuable comments.

References

1. Michel Bauderon and Bruno Courcelle. Graph expressions and graph rewritings. *Mathematical Systems Theory*, 20:83–127, 1987.
2. Roy L. Crole. *Categories for Types*. Cambridge University Press, 1993.
3. H. Ehrig. Introduction to the algebraic theory of graphs. In *Proc. 1st International Workshop on Graph Grammars*, pages 1–69. Springer-Verlag, 1979. LNCS 73.
4. H. Ehrig, M. Pfender, and H. Schneider. Graph grammars: An algebraic approach. In *Proc. 14th IEEE Symp. on Switching and Automata Theory*, pages 167–180, 1973.
5. F. Gadducci and R. Heckel. An inductive view of graph transformation. In *Recent Trends in Algebraic Development Techniques, 12th International Workshop, WADT '97*, volume 1376, pages 223–237, 1997. LNCS 1376.
6. F. Gadducci, R. Heckel, and M. Llabres. A bicategorical axiomatization of concurrent graph rewriting. In *Proceedings of CTCS'99*, 1999. ENTCS 29.
7. Philippa Gardner. Closed action calculi. *Theoretical Computer Science (in association with the conference on Mathematical Foundations in Programming Semantics)*, 1998.
8. Annegret Habel. *Hyperedge Replacement: Grammars and Languages*. Springer-Verlag, 1992. LNCS 643.
9. Barbara König. *Description and Verification of Mobile Processes with Graph Rewriting Techniques*. PhD thesis, Technische Universität München, 1999.
10. Barbara König. Generating type systems for process graphs. In *Proc. of CONCUR '99*, pages 352–367. Springer-Verlag, 1999. LNCS 1664.
11. Barbara König. Hypergraph construction and its application to the compositional modelling of concurrency. In *GRATRA '2000: Joint APPLIGRAPH/GETGRATS Workshop on Graph Transformation Systems*, 2000. to appear.

12. H.-J. Kreowski. A comparison between petri-nets and graph grammars. In H. Noltemeier, editor, *Graphtheoretic Concepts in Computer Science*, pages 306–317. Springer-Verlag, 1980. LNCS 100.
13. José Meseguer and Ugo Montanari. Petri nets are monoids. *Information and Computation*, 88(2):105–155, 1990.
14. Robin Milner. The polyadic π -calculus: a tutorial. In F. L. Hamer, W. Brauer, and H. Schwichtenberg, editors, *Logic and Algebra of Specification*. Springer-Verlag, Heidelberg, 1993.
15. David Turner. *The Polymorphic Pi-Calculus: Theory and Implementation*. PhD thesis, University of Edinburgh, 1995. ECS-LFCS-96-345.
16. Nobuko Yoshida. Graph notation for concurrent combinators. In *Proc. of TPPP '94*. Springer-Verlag, 1994. LNCS 907.